

# Package: windy (via r-universe)

October 31, 2024

**Title** 'Tailwind' for 'Shiny'  
**Version** 0.0.0.9000  
**Description** 'Tailwind' for 'Shiny'.  
**License** MIT + file LICENSE  
**Encoding** UTF-8  
**Roxygen** list(markdown = TRUE)  
**RoxygenNote** 7.2.3  
**Imports** cli, packer, usethis, jsonlite, htmltools  
**Repository** <https://devopifex.r-universe.dev>  
**RemoteUrl** <https://github.com/devOpifex/windy>  
**RemoteRef** HEAD  
**RemoteSha** 9c0f9543a1481e232ade024c042fb30ef471358a

## Contents

...class . . . . .	1
add_module . . . . .	2
npm . . . . .	2
scaffold . . . . .	3

**Index** [4](#)

---

...class	<i>Class</i>
----------	--------------

---

## Description

Build classes from character vectors.

## Usage

```
...class(...)
```

**Arguments**

... Elements, character vectors of any length.

**Examples**

```
...class("hello", "world")
...class("hello", c(1, 2))
```

---

add_module	<i>Add module</i>
------------	-------------------

---

**Description**

Add boilerplate for a module.

**Usage**

```
add_module(name)
```

**Arguments**

name Name of the module. This is used to dynamically create the names of the functions and file.

**Value**

Called for side-effects, invisibly returns NULL.

**Examples**

```
## Not run: add_module("module_name")
```

---

npm	<i>NPM</i>
-----	------------

---

**Description**

NPM commands to build tailwind.

**Usage**

```
windy_build()
```

```
windy_watch()
```

---

`scaffold`*Scaffold*

---

**Description**

Scaffold a shiny-tailwind application.

**Usage**

```
scaffold()
```

# Index

`...class`, [1](#)

`add_module`, [2](#)

`npm`, [2](#)

`scaffold`, [3](#)

`windy_build (npm)`, [2](#)

`windy_watch (npm)`, [2](#)